52562

Access DB#

SEARCH REQUEST FORM

Scientific and Technical Information Center

Requester's Full Name: Blessing Fubara Examiner #: 77687 Date: 10-6-01
Art Unit: 1615 Phone Number 308-8374 Serial Number: 09/765,029
Mail Box and Bldg/Room Location: 2B11 Results Format Preferred (circle): PAPER DISK E-MAIL
2301 CM1

If more than one search is submitted, please prioritize searches in order of need.

Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract.

Title of Invention: CATIONIC POLYMERS AND THEIR USE

Inventors (please provide full names): SON NGUYEN KIM, AXEL SANNER
VOLKER SCHEHLMANN

Earliest Priority Filing Date: 08/24/1998

**For Sequence Searches Only* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number.*

Polymer from free radical polymerization of parts a, b, c and d of Cl. 1

— polymer useful in hair care, cosmetic, skin care

Copy of claims attached.

Thanks

Point of Contact:
Susan Hanley
Technical Info. Specialist
CM1 12C14 Tel: 305-4053

STAFF USE ONLY		Type of Search		Vendors and cost where applicable	
Searcher:	Hanley	NA Sequence (#)		STN	
Searcher Phone #:		AA Sequence (#)		Dialog	
Searcher Location:		Structure (#)		Questel/Orbit	
Date Searcher Picked Up:	10/8	Bibliographic		Dr.Link	
Date Completed:	10/16	Litigation		Lexis/Nexis	
Searcher Prep & Review Time:		Fulltext		Sequence Systems	
Clerical Prep Time:		Patent Family		WWW/Internet	
Online Time:		Other		Other (specify)	

PTO-1590 (1-2000)

We claim:

1. A cationic polymer obtainable by free-radical copolymerization of

(a) from 50 to 70% by weight of one or more monomers of the formula I



(I)

X = O, NR^1,
R^1 = H, C_1-C_8-alkyl,
R^2 = tert-butyl,

(b) from 5 to 45% by weight of one or more monomers of the formula II



(II)

where n = 1 to 3,

(c) from 5 to 40% by weight of a monoethylenically unsaturated monomer having at least one amine-containing group,

(d) from 0 to 5% by weight of a polyalkylene oxide-containing silicone derivative,

where up to 40% by weight, based on (a), (b), (c) and (d), of the monomer (a) can be replaced by a monomer of the formula I where R^2 = C_2-C_{22}-alkyl.

2. A polymer as claimed in claim 1, obtainable by free-radical copolymerization of

(a) from 51 to 65% by weight of the monomer of the formula I,

(b) from 7 to 39% by weight of the monomer of the formula II,

(c) from 10 to 30% by weight of the amine-containing monomer.

3. A polymer as claimed in claim 1, wherein the monomer (a) is tert-butyl acrylate, N-tert-butylacrylamide and/or tert-butyl methacrylate.

4. A polymer as claimed in claim 1, wherein the monomer (b) is vinylpyrrolidone and/or vinylcaprolactam.

5. A polymer as claimed in claim 1, wherein the monomer (c) is dimethylaminoalkyl (meth)acrylate and/or dimethylaminoalkyl (meth)acrylamide.

6. A polymer as claimed in claim 1, wherein the monomers of the formula I where R^2 = C_2-C_{22}-alkyl are N-butylacrylamide, N-octylacrylamide, lauryl (meth)acrylate or stearyl (meth)acrylate.

7. The use of polymers as claimed in claim 1 ~~to 6~~ for cosmetic preparations.

8. The use as claimed in claim 7 as setting polymers in hair spray, foam setting compositions, hair mousse, hair gel or shampoos.

9. A cosmetic preparation comprising a polymer as claimed in claim 1 in an amount of from 0.1 to 30% by weight, based on the preparation

10. A cosmetic preparation as claimed in claim 9, wherein the polymer is partially or completely neutralized using a monohydric acid, preferably using a polyhydric acid or a polycarboxylic acid, or is quaternized using a quaternizing agent.

11. A cosmetic preparation as claimed in claim 10, wherein the polymer is partially or completely neutralized using phosphoric acid or an acid mixture containing phosphoric acid.

12. The use of polymers as claimed in ~~one of claims 1 to 6~~ claim 1 having a glass transition temperature of > 25°C and a K value of from 25 to 70, preferably from 35 to 50, for hair cosmetics.

13. A hair cosmetic preparation comprising

(a) from 0.2 to 20% by weight of a polymer as claimed in ~~one of claims 1 to 6~~ claim 1,

(b) from 0 to 10% by weight of a conventional hair-setting polymer,

(c) from 0 to 1% by weight of a water-dispersible siloxane-containing compound,

(d) from 30 to 99.5% by weight of a solvent or solvent mixture of alcohol and water,

(e) from 0 to 60% by weight of a propellant comprising dimethyl ether and/or propane/butane, and

(f) from 0 to 0.3% by weight of a cosmetically suitable additive.

14. The use as claimed in claim 7 as a constituent in cosmetic skin preparations.

15. The use as claimed in claim 14, wherein a fatty acid amide is additionally used.

Cationic polymers and their use

Abstract

Cationic polymers are obtainable by free-radical copolymerization of

(a) from 50 to 70% by weight of one or more monomers of the formula I



(I)

X = O, NR^1,
R^1 = H, C_1-C_8-alkyl,
R^2 = tert-butyl,

(b) from 5 to 45% by weight of one or more monomers of the formula II



(II)

where n = 1 to 3,

(c) from 5 to 40% by weight of a monoethylenically unsaturated monomer having at least one amine-containing group,

(d) from 0 to 5% by weight of a polyalkylene oxide-containing silicone derivative,

where up to 40% by weight, based on (a), (b), (c) and (d), of the monomer (a) can be replaced by a monomer of the formula I where R^2 = C_2-C_{22}-alkyl.

STR 2

FUBARA 09/762,039

```
=> d his

     (FILE 'HOME' ENTERED AT 14:48:30 ON 16 OCT 2001)

     FILE 'REGISTRY' ENTERED AT 14:48:56 ON 16 OCT 2001
               ACT FUB039P/A
              ---------
L1             STR
L2             SCR 2043 AND 2127
L3             STR
L4          1732 SEA FILE=REGISTRY SSS FUL L1 AND L3 AND L2
              ---------
L5         71943 S PVIN/PCT AND N/ELS
L6          1725 S L4 AND L5
L7           160 S L6 AND SI/ELS
L8           160 S L7 AND NC>2

     FILE 'HCAPLUS' ENTERED AT 14:50:46 ON 16 OCT 2001
L9            67 S L8
L10            1 S L9 AND CATION?
L11           10 S L9 AND (HAIR OR COSMETIC)
L12            1 S L10 AND L11
L13            9 S L11 NOT L12
```

← cp do w/ components A, B, C & D

↑ Si

1 cite
9 cites

where the Si is in the formula of the polymer (not only text modification)

=> d que 19
L1 STR component A





VAR G1=H/11
VAR G2=O/8
NODE ATTRIBUTES:
CONNECT IS E1 RC AT 5
CONNECT IS E1 RC AT 9
CONNECT IS E1 RC AT 11
DEFAULT MLEVEL IS ATOM
DEFAULT ECLEVEL IS LIMITED
ECOUNT IS M2 C AT 5
ECOUNT IS X10 C AT 9
ECOUNT IS X10 C AT 11

GRAPH ATTRIBUTES:
RING(S) ARE ISOLATED OR EMBEDDED
NUMBER OF NODES IS 10

STEREO ATTRIBUTES: NONE
L2 SCR 2043 AND 2127
L3 STR component B



REP G1=(1-3) CH2
NODE ATTRIBUTES:
CONNECT IS E2 RC AT 7
DEFAULT MLEVEL IS ATOM

```
DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
RSPEC I
NUMBER OF NODES IS   8

STEREO ATTRIBUTES: NONE
L4          1732 SEA FILE=REGISTRY SSS FUL L1 AND L3 AND L2
L5         71943 SEA FILE=REGISTRY ABB=ON  PLU=ON  PVIN/PCT AND N/ELS
L6          1725 SEA FILE=REGISTRY ABB=ON  PLU=ON  L4 AND L5
L7           160 SEA FILE=REGISTRY ABB=ON  PLU=ON  L6 AND SI/ELS
L8           160 SEA FILE=REGISTRY ABB=ON  PLU=ON  L7 AND NC>2
L9            67 SEA FILE=HCAPLUS ABB=ON  PLU=ON  L8
```

=> d ibib abs hitstr

L12 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1995:994509 HCAPLUS
DOCUMENT NUMBER: 124:90196
TITLE: Polymers containing organopolysiloxane side chains useful as textile finishing agents and **cosmetics** and manufacture of the same
INVENTOR(S): Shimizu, Yoshio; Takizawa, Masahiro; Isoda, Masanori; Shibazaki, Kenichiro; Nakayama, Kiyoshi
PATENT ASSIGNEE(S): Lion Corp., Japan
SOURCE: PCT Int. Appl., 157 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9523889	A1	19950908	WO 1995-JP353	19950303
W: CN, KR, US				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
JP 07243173	A2	19950919	JP 1994-60335	19940303
JP 07070204	A2	19950314	JP 1994-75368	19940322
JP 07268778	A2	19951017	JP 1994-75369	19940322
JP 07069828	A2	19950314	JP 1994-169059	19940628
JP 08183826	A2	19960716	JP 1994-340249	19941229

PRIORITY APPLN. INFO.:
JP 1994-60335 19940303
JP 1994-75368 19940322
JP 1994-75369 19940322
JP 1994-169059 19940628
JP 1994-340249 19941229
JP 1993-187185 19930630
JP 1993-187186 19930630

AB The polymers consist of vinyl polymers having wt.-av. mol. wt. 5000-5,000,000 and having organopolysiloxane side chains bearing no. of Si 2-500 or polysaccharides contg. organopolysiloxane side chains or protein compds. contg. organopolysiloxane side chains and are useful as agents for improvement of softness and resilience of textiles, **hair** rinses, **hair** sprays, shampoos, and shaving creams. Thus, 15 parts CH2:CMeCO2(CH2)3(SiMe2O)nSiMe3 (n = 133) was copolymd. with 2 parts CH2:CMeCO2CH2CH(OH)CH2O2CCH2S(CH2CH2CO2Bu)m (m = 45) and 80 parts acrylamide to give an organopolysiloxane side chain-contg. polymer (I) sol. in EtOH or iso-PrOH. A cotton broadcloth was treated with an aerosol compn. contg. I and dried to give a fabric with softness rating (6 softness similar to that of a **cationic** softener-treated fabric, 1 hardness similar to that of a spray-starched fabric) 5 and excellent surface smoothness and resilience.

IT **172489-39-3P**
RL: BUU (Biological use, unclassified); IMF (Industrial manufacture); TEM (Technical or engineered material use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(manuf. of; for textile finishing agents and **cosmetics**)

RN 172489-39-3 HCAPLUS
CN 2-Propenoic acid, butyl ester, telomer with 2-mercaptopropanoic acid, 2-hydroxy-3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl ester, polymer with .alpha.-[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-.omega.-[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)] and 1-ethenyl-2-pyrrolidinone (9CI) (CA INDEX NAME)

CM 1

CRN 123109-42-2
CMF (C2 H6 O Si)n C12 H26 O3 Si2
CCI PMS



CM 2

CRN 88-12-0
CMF C6 H9 N O



CM 3

CRN 172489-38-2
CMF C7 H12 O4 . x (C7 H12 O2)x . x C3 H6 O2 S
CDES 8:GD

CM 4

CRN 5919-74-4
CMF C7 H12 O4



CM 5

CRN 172351-44-9
CMF (C7 H12 O2)x . C3 H6 O2 S

CM 6

CRN 79-42-5
CMF C3 H6 O2 S



CM 7

CRN 9003-49-0
CMF (C7 H12 O2)x
CCI PMS

CM 8

CRN 141-32-2
CMF C7 H12 O2



=> d ibib abs hitstr 1

L13 ANSWER 1 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2001:369675 HCAPLUS
DOCUMENT NUMBER: 134:371580
TITLE: Storage-stable **hair** conditioners containing organopolysiloxane copolymers
INVENTOR(S): Tachibana, Kiyomi; Nomura, Toshio
PATENT ASSIGNEE(S): Kosei Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001139432	A2	20010522	JP 1999-321674	19991111

AB **Hair** conditioners contain copolymers from polylactone group-contg. monomers and organopolysiloxane monomers. CH2:CMeCO2(CH2)2O(COC5H10O)3H 35, CH2:CMeCO2C3H6SiMe2O(SiMe2O)24SiMe3 60, and Me methacrylate 5 g were copolymd. in the presence of AIBN to give a copolymer. A shampoo contg. the copolymer showed **hair**-styling, -smoothing, and -conditioning effects.

IT **340285-21-4P**
RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(**hair** conditioners contg. polylactone group-contg. organopolysiloxane copolymers)

RN 340285-21-4 HCAPLUS
CN 2-Propenoic acid, 2-ethylhexyl ester, polymer with .alpha.-[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-.omega.-[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], 1-ethenyl-2-pyrrolidinone and .alpha.-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]-.omega.-hydroxypoly[oxy(1-oxo-1,6-hexanediyl)], graft (9CI) (CA INDEX NAME)

CM 1

CRN 123109-42-2
CMF (C2 H6 O Si)n C12 H26 O3 Si2
CCI PMS



CM 2

CRN 81984-60-3
CMF (C6 H10 O2)n C6 H10 O3
CCI PMS



CM 3

CRN 103-11-7
CMF C11 H20 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



=> d ibib abs hitstr 2

L13 ANSWER 2 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2001:366073 HCAPLUS
DOCUMENT NUMBER: 134:371594
TITLE: Skin **cosmetics** containing organopolysiloxane copolymers
INVENTOR(S): Tachibana, Kiyomi; Nomura, Toshio
PATENT ASSIGNEE(S): Kosei Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 19 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001139415	A2	20010522	JP 1999-321673	19991111

AB Skin **cosmetics** contain copolymers from polylactone group-contg. monomers and organopolysiloxane monomers. CH2:CMeCO2(CH2)2O(COC5H10O)3H 35, CH2:CMeCO2C3H6SiMe2O(SiMe2O)24SiMe3 60, and Me methacrylate 5 g were copolymd. in the presence of AIBN to give a copolymer. Lipsticks contg. the copolymer were not sticky and showed good adhesion to lips.

IT **340285-21-4P**
RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(**cosmetics** contg. polylactone group-contg. organopolysiloxane copolymers)

RN 340285-21-4 HCAPLUS
CN 2-Propenoic acid, 2-ethylhexyl ester, polymer with .alpha.-[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-.omega.-[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], 1-ethenyl-2-pyrrolidinone and .alpha.-[2-[(2-methyl-1-oxo-2-propenyl)oxy]ethyl]-.omega.-hydroxypoly[oxy(1-oxo-1,6-hexanediyl)], graft (9CI) (CA INDEX NAME)

CM 1

CRN 123109-42-2
CMF (C2 H6 O Si)n C12 H26 O3 Si2
CCI PMS



CM 2

CRN 81984-60-3
CMF (C6 H10 O2)n C6 H10 O3
CCI PMS



CM 3

CRN 103-11-7
CMF C11 H20 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



=> d ibib abs hitstr 3

L13 ANSWER 3 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 2001:217883 HCAPLUS
DOCUMENT NUMBER: 134:256593
TITLE: Polysiloxane block copolymers as bases for **hair**-styling preparations
INVENTOR(S): Tsuchihashi, Koji; Uchiyama, Yujiro
PATENT ASSIGNEE(S): Osaka Yuki Kagaku Kogyo Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 2001081018	A2	20010327	JP 1999-256261	19990909

AB The **hair**-styling bases contain block copolymers prepd. by copolymn. of monomers including CH2:CR1COXR2N+Me2CH2CO2- (X = O, NH; R1 = H, Me; R2 = C2-3 alkylene) and ethylenically unsatd. carboxylate esters in the presence of polysiloxanes. The bases show good adhesion to **hair**, give good gloss to **hair**, and show **hair** -softening and -smoothing effects. A **hair** lotion contg. a block copolymer prepd. by polymn. of an azo-contg. dimethylpolysiloxane, methacryloyloxyethylenedimethylammonium carboxymethylbetaine, dimethylaminoethyl methacrylate, stearyl methacrylate, decyl methacrylate, and dodecyl methacrylate and neutralization of the copolymer with lactic acid was formulated.

IT **331284-82-3P**
RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(prepn. of betaine-contg. polysiloxane block copolymers as bases for **hair**-styling prepns.)

RN 331284-82-3 HCAPLUS
CN Ethanaminium, N-(carboxymethyl)-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, inner salt, polymer with .alpha.-[(3-aminopropyl)dimethylsilyl]-.omega.-[[(3-aminopropyl)dimethylsilyl]oxy]poly[oxy(dimethylsilylene)], 4,4'-azobis[4-cyanopentanoic acid], decyl 2-methyl-2-propenoate, 2-(dimethylamino)ethyl 2-methyl-2-propenoate, dodecyl 2-methyl-2-propenoate, N-ethenylacetamide, 1-ethenyl-2-pyrrolidinone and octadecyl 2-methyl-2-propenoate, block, 2-hydroxypropanoate (salt) (9CI) (CA INDEX NAME)

CM 1

CRN 50-21-5
CMF C3 H6 O3



CM 2

CRN 331284-81-2
CMF (C22 H42 O2 . C16 H30 O2 . C14 H26 O2 . C12 H16 N4 O4 . C10 H17 N O4 . C8 H15 N O2 . C6 H9 N O . C4 H7 N O . (C2 H6 O Si)n C10 H28 N2 O Si2)x
CCI PMS
CDES 8:PM,BLOCK

CM 3

CRN 97917-34-5
CMF (C2 H6 O Si)n C10 H28 N2 O Si2
CCI PMS



CM 4

CRN 62723-61-9
CMF C10 H17 N O4



CM 5

CRN 32360-05-7
CMF C22 H42 O2



CM 6

CRN 5202-78-8
CMF C4 H7 N O



CM 7

CRN 3179-47-3
CMF C14 H26 O2



CM 8

CRN 2867-47-2
CMF C8 H15 N O2



CM 9

CRN 2638-94-0
CMF C12 H16 N4 O4



CM 10

CRN 142-90-5
CMF C16 H30 O2



CM 11

CRN 88-12-0
CMF C6 H9 N O



=> d ibib abs hitstr 4

L13 ANSWER 4 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1999:779109 HCAPLUS
DOCUMENT NUMBER: 132:23290
TITLE: Personal care composition containing a clear homogeneous polymer of an N-vinyl lactam
INVENTOR(S): Liu, Kou-Chang
PATENT ASSIGNEE(S): Isp Investments Inc., USA
SOURCE: U.S., 7 pp., Cont.-in-part of U.S. 5,609,865.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 6
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5997855	A	19991207	US 1998-14465	19980128
US 5523369	A	19960604	US 1994-365257	19941228
US 5609865	A	19970311	US 1994-365258	19941228
US 5626836	A	19970506	US 1994-365259	19941228
US 6110454	A	20000829	US 1996-655492	19960530
WO 9938494	A1	19990805	WO 1999-US946	19990113
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
AU 9922325	A1	19990816	AU 1999-22325	19990113

PRIORITY APPLN. INFO.:

US 1994-365257	A2	19941228
US 1994-365258	A2	19941228
US 1994-365259	A2	19941228
US 1998-14465	A	19980128
WO 1999-US946	W	19990113

AB The patent describes a multicomponent homogeneous polymer of (a) from about 30 to about 90 wt.-% of a N-vinyllactam, (b) from about 5 to about 30 wt.-% of a quaternized and/or nonquaternized aminoalkylacrylic ester and/or amide, (c) from about 0.5 to about 30 wt.-% of an unsatd. monomer selected from the group consisting of an acrylic ester or amide having a C4-C22 alkyl group, a C4-C22 .alpha.-olefin, a C4-C22 vinyl ether (VE) and a vinyl ester of a C2-C22 carboxylic acid and (d) from about 1 to about 30 wt.-% of an unsubstituted acrylic or methacrylic acid and/or an unsubstituted amide of said acrylic or methacrylic acid and optionally, (e) up to 20 wt.-% of a mono- or di-functional polysiloxane; all monomers combined to form a 100% polymer compn. of randomly distributed monomers for use in personal care formulations, particularly as a **hair** fixative where the clear, colorless and conditioning film forming properties of the polymer produces a silky, lustrous appearance to the **hair** and long lasting styling hold.

IT **234764-51-3P**, Acrylic acid-N-dimethylaminoethyl methacrylate-dodecyl methacrylate-DS-443-N-vinylpyrrolidone copolymer
RL: SPN (Synthetic preparation); TEM (Technical or engineered material use); PREP (Preparation); USES (Uses)
(personal **hair** care compn. contg. clear homogeneous polymer of N-vinyllactam)

RN 234764-51-3 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with dodecyl 2-methyl-2-propenoate, .alpha.-(ethenyldimethylsilyl)-.omega.-[(ethenyldimethylsilyl)oxy]poly[oxy(dimethylsilylene)], 1-ethenyl-2-pyrrolidinone and 2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 59942-04-0
CMF (C2 H6 O Si)n C8 H18 O Si2
CCI PMS



CM 2

CRN 2867-47-2
CMF C8 H15 N O2



CM 3

CRN 142-90-5
CMF C16 H30 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



CM 5

CRN 79-10-7
CMF C3 H4 O2



=> d ibib abs hitstr 5

L13 ANSWER 5 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1999:495157 HCAPLUS
DOCUMENT NUMBER: 131:149061
TITLE: Personal care compositions containing a clear homogeneous polymer of an N-vinyllactam
INVENTOR(S): Liu, Kou-Chang
PATENT ASSIGNEE(S): ISP Investments Inc., USA
SOURCE: PCT Int. Appl., 32 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 6
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9938494	A1	19990805	WO 1999-US946	19990113
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 5997855	A	19991207	US 1998-14465	19980128
AU 9922325	A1	19990816	AU 1999-22325	19990113

PRIORITY APPLN. INFO.:		
US 1998-14465	A	19980128
US 1994-365257	A2	19941228
US 1994-365258	A2	19941228
US 1994-365259	A2	19941228
WO 1999-US946	W	19990113

AB A multicomponent homogeneous polymer for **cosmetic** and **hair** compns. consists of (a) 30-90% of a N-vinyllactam, (b) 5- 30% of a quaternized and/or nonquaternized aminoalkylacrylic ester and/or -amide, (c) 0.5-30% of an unsatd. monomer,e.g., C4-22 alkyl, (d) 1-30% of an unsubstituted acrylic or methacrylic acid and/or an its amide, and (e) up to 20% of a mono- or di-functional polysiloxane;. The clear, colorless and conditioning film forming properties of the polymer produce a silky, lustrous appearance to the **hair** and long lasting styling hold. A homogeneous polymer was prepd. from acrylic acid 10, dimethylaminopropylmethacrylamide 17, octadecyl methacrylate 3, and N-vinylcaprolactam 70%. An EtOH soln. of Vazo-67 as the initiator was added to the monomer mixt. A **hair** aerosol spray was prepd. by dissolving the polymer in EtOH and adding the required amt. of water.

IT **234764-51-3P**
RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(**hair** formulations contg. homogeneous polymer of vinyllactam)

RN 234764-51-3 HCAPLUS

CN 2-Propenoic acid, 2-methyl-, 2-(dimethylamino)ethyl ester, polymer with dodecyl 2-methyl-2-propenoate, .alpha.-(ethenyldimethylsilyl)-.omega.-[(ethenyldimethylsilyl)oxy]poly[oxy(dimethylsilylene)], 1-ethenyl-2-pyrrolidinone and 2-propenoic acid (9CI) (CA INDEX NAME)

CM 1

CRN 59942-04-0
CMF (C2 H6 O Si)n C8 H18 O Si2
CCI PMS



CM 2

CRN 2867-47-2
CMF C8 H15 N O2



CM 3

CRN 142-90-5
CMF C16 H30 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



CM 5

CRN 79-10-7
CMF C3 H4 O2



REFERENCE COUNT: 2
REFERENCE(S): (1) Liu; US 5492988 A 1996 HCAPLUS
(2) Liu; US 5523369 A 1996 HCAPLUS

=> d ibib abs hitstr 6

L13 ANSWER 6 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1999:481999 HCAPLUS
DOCUMENT NUMBER: 131:120621
TITLE: Powder compositions having improved dispersing abilities containing powder and polysiloxane-containing copolymers for **cosmetics**
INVENTOR(S): Tachibana, Kiyomi; Shimizu, Toru
PATENT ASSIGNEE(S): Kose Corp., Japan; Shin-Etsu Chemical Co., Ltd.
SOURCE: Eur. Pat. Appl., 34 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 931537	A2	19990728	EP 1999-100336	19990113
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 11263708	A2	19990928	JP 1998-368469	19981210
JP 11263706	A2	19990928	JP 1998-368470	19981210
CN 1230398	A	19991006	CN 1999-100421	19990113
PRIORITY APPLN. INFO.:			JP 1998-18217	19980113
			JP 1998-18218	19980113

AB A powder compn. comprises a copolymer contg. an organopolysiloxane monomer and one or more kinds of monomer selected from a group composed by a monomer contg. N group, a monomer possessing a polyoxyalkylene group, a monomer possessing a polylactone group, a monomer possessing a hydroxyl group and a monomer possessing an anionic group, and a powder. Further, a powder dispersion in oil comprising the copolymer, powder and oil, and a **cosmetic** compn. contg. them are disclosed. The powder compn. and a powder dispersion in oil have a less cohesion of powder particles and is superior in a dispersing ability and a dispersion stability. The **cosmetic** compn. which contains the powder compn. has a good stability and gives an excellent sensation at the actual use. A viscose liq. product was prepd. from CH2:CMeCO2(CH2)3(SiMe2O)nSiMe3 (n = 25) 92, acrylamide 1.6, styrene 2, toluene 100, and azobis(isobutyronitrile) 2 g. The product was combined with decamethylcyclopentasiloxane and ZnO to make a ZnO dispersion. A sunscreening W/O milky lotion contg. the ZnO dispersion was also prepd. The sunscreening lotion had a good dispersion stability.

IT **233591-50-9P 233591-52-1P 233591-53-2P**
233591-96-3P
RL: BUU (Biological use, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(powder compns. contg. powder and polysiloxane-contg. copolymers for **cosmetics**)

RN 233591-50-9 HCAPLUS
CN 2-Propenoic acid, 2-ethylhexyl ester, polymer with .alpha.-[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-.omega.-[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)] and 1-ethenyl-2-pyrrolidinone, graft (9CI) (CA INDEX NAME)

CM 1

CRN 123109-42-2

CMF (C2 H6 O Si)n C12 H26 O3 Si2
CCI PMS



CM 2

CRN 103-11-7
CMF C11 H20 O2



CM 3

CRN 88-12-0
CMF C6 H9 N O



RN 233591-52-1 HCAPLUS
CN 2-Propenoic acid, 2-ethylhexyl ester, polymer with .alpha.-(butyldimethylsilyl)-.omega.-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)] and 1-ethenyl-2-pyrrolidinone, graft (9CI) (CA INDEX NAME)

CM 1

CRN 149925-73-5
CMF (C2 H6 O Si)n C15 H32 O3 Si2
CCI PMS



CM 2

CRN 103-11-7
CMF C11 H20 O2



CM 3

CRN 88-12-0
CMF C6 H9 N O



RN 233591-53-2 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, methyl ester, polymer with .alpha.-[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]-.omega.-[(trimethylsilyl)oxy]poly[oxy(dimethylsilylene)], 1-ethenyl-2-pyrrolidinone and octadecyl 2-methyl-2-propenoate, graft (9CI) (CA INDEX NAME)

CM 1

CRN 123109-42-2
CMF (C2 H6 O Si)n C12 H26 O3 Si2
CCI PMS



CM 2

CRN 32360-05-7
CMF C22 H42 O2



CM 3

CRN 88-12-0
CMF C6 H9 N O



CM 4

CRN 80-62-6
CMF C5 H8 O2



RN 233591-96-3 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, polymer with .alpha.-(butyldimethylsilyl)-.omega.-[[dimethyl[3-[(2-methyl-1-oxo-2-propenyl)oxy]propyl]silyl]oxy]poly[oxy(dimethylsilylene)], 1-ethenyl-2-pyrrolidinone, 2-ethylhexyl 2-methyl-2-propenoate and octadecyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 149925-73-5
CMF (C2 H6 O Si)n C15 H32 O3 Si2
CCI PMS



CM 2

CRN 32360-05-7
CMF C22 H42 O2



CM 3

CRN 688-84-6
CMF C12 H22 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



CM 5

CRN 79-41-4
CMF C4 H6 O2



=> d ibib abs hitstr 7

L13 ANSWER 7 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1993:656283 HCAPLUS
DOCUMENT NUMBER: 119:256283
TITLE: **Hair** preparations containing trimethylsiloxysilane-contg. vinyl polymers
INVENTOR(S): Uchama, Jujiro; Ogasawara, Motomi
PATENT ASSIGNEE(S): Osaka Juki Kagaku Kogyo Kk, Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 12 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 05213722	A2	19930824	JP 1992-23692	19920210
JP 3086522	B2	20000911		

AB A mixt. comprising CH2:CR1CO2H (R1 = H, Me) 10-30, CH2:CR1 CO2(CH2)3Si(OSiMe3)3 (R1 = same as above) and/or CH2:CHSi(OSiMe3)3 1-20, CH2:CR1COR2 (R1 = same as above; R2 = C1-4 alkoxy, amide) 20-85, and N-vinylpyrrolidone 0-40 wt.% is polymd. to give a material useful in prepg. **hair** conditioners. The compns. show good **hair** -setting property and give gloss and smoothness to the **hair**. A **hair** prepn. contg. methacrylic acid-tert-Bu methacrylate-methacryloxypropyltris(trimethylsiloxy)silane copolymer aminomethylpropanol salt (prepn. given) was prepd.

IT **151372-09-7P 151372-19-9P 151372-31-5P**
151372-33-7P
RL: PREP (Preparation)
(prepn. of, **hair** prepns. contg.)

RN 151372-09-7 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, polymer with 1,1-dimethylethyl 2-methyl-2-propenoate, 3-ethenyl-1,1,1,5,5,5-hexamethyl-3-[(trimethylsilyl)oxy]trisiloxane and 1-ethenyl-2-pyrrolidinone, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5
CMF C4 H11 N O



CM 2

CRN 151372-08-6
CMF (C11 H30 O3 Si4 . C8 H14 O2 . C6 H9 N O . C4 H6 O2)x
CCI PMS

CM 3

CRN 5356-84-3
CMF C11 H30 O3 Si4



CM 4

CRN 585-07-9
CMF C8 H14 O2



CM 5

CRN 88-12-0
CMF C6 H9 N O



CM 6

CRN 79-41-4
CMF C4 H6 O2



RN 151372-19-9 HCAPLUS
CN 2-Propenoic acid, polymer with 1,1-dimethylethyl 2-propenoate, 3-ethenyl-1,1,1,5,5,5-hexamethyl-3-[(trimethylsilyl)oxy]trisiloxane and 1-ethenyl-2-pyrrolidinone, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5

CMF C4 H11 N O



CM 2

CRN 151372-18-8
CMF (C11 H30 O3 Si4 . C7 H12 O2 . C6 H9 N O . C3 H4 O2)x
CCI PMS

CM 3

CRN 5356-84-3
CMF C11 H30 O3 Si4



CM 4

CRN 1663-39-4
CMF C7 H12 O2



CM 5

CRN 88-12-0
CMF C6 H9 N O



CM 6

CRN 79-10-7

CMF C3 H4 O2



RN 151372-31-5 HCAPLUS
CN 2-Propenoic acid, polymer with 1,1-dimethylethyl 2-propenoate, N-(1,1-dimethyl-3-oxobutyl)-2-propenamide, 3-ethenyl-1,1,1,5,5,5-hexamethyl-3-[(trimethylsilyl)oxy]trisiloxane and 1-ethenyl-2-pyrrolidinone, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5
CMF C4 H11 N O



CM 2

CRN 151372-30-4
CMF (C11 H30 O3 Si4 . C9 H15 N O2 . C7 H12 O2 . C6 H9 N O . C3 H4 O2)x
CCI PMS

CM 3

CRN 5356-84-3
CMF C11 H30 O3 Si4



CM 4

CRN 2873-97-4
CMF C9 H15 N O2



CM 5

CRN 1663-39-4
CMF C7 H12 O2



CM 6

CRN 88-12-0
CMF C6 H9 N O



CM 7

CRN 79-10-7
CMF C3 H4 O2



RN 151372-33-7 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, polymer with 1,1-dimethylethyl 2-methyl-2-propenoate, ethenyl acetate, 3-ethenyl-1,1,1,5,5,5-hexamethyl-3-[(trimethylsilyl)oxy]trisiloxane and 1-ethenyl-2-pyrrolidinone, compd. with 2-amino-2-methyl-1-propanol (9CI) (CA INDEX NAME)

CM 1

CRN 124-68-5
CMF C4 H11 N O



CM 2

CRN 151372-32-6
CMF (C11 H30 O3 Si4 . C8 H14 O2 . C6 H9 N O . C4 H6 O2 . C4 H6 O2)x
CCI PMS

CM 3

CRN 5356-84-3
CMF C11 H30 O3 Si4



CM 4

CRN 585-07-9
CMF C8 H14 O2



CM 5

CRN 108-05-4
CMF C4 H6 O2



CM 6

CRN 88-12-0
CMF C6 H9 N O



CM 7

CRN 79-41-4
CMF C4 H6 O2



=> d ibib abs hitstr 8

L13 ANSWER 8 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1993:175496 HCAPLUS
DOCUMENT NUMBER: 118:175496
TITLE: **Hair** preparations containing film-forming copolymers
INVENTOR(S): Uchiyama, Yujiro; Ogasawara, Motomi
PATENT ASSIGNEE(S): Osaka Yuku Kagaku Kogyo Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 9 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04321618	A2	19921111	JP 1991-86890	19910418
JP 3192159	B2	20010723		

AB **Hair** prepns. contain bases prepd. by copolymn. of monomers contg. 40-95 wt.% N-vinylbutyrolactam or N-vinylcaprolactam and 1-30 wt.% CH2:CR1CO2(CH2)3Si(OR2)(OR3)OR4 and/or CH2:CHSi(OR2)(OR3)OR4 (R1 = H, Me; R2, R3, R4 = Me, Et, .beta.-methoxyethoxy, Ac). The copolymers form glossy films on the **hair** in setting by **hair** driers. Vinyl acetate 15, 2-hydroxyethyl methacrylate 10, vinyltriethoxysilane 10, and N-vinylpyrrolidine 65 parts were polymd. using AIBN in EtOH at 80.degree. for 12 h to give an EtOH soln. contg. 60% copolymer (av. mol. wt. 63 .times. 103), which showed good compatibility with H2O and LPG and good curl retention property.

IT **146796-88-5P**
RL: PREP (Preparation)
(prepn. of, **hair**-setting compns. contg., film-forming)

RN 146796-88-5 HCAPLUS
CN 2-Propenoic acid, 2-methyl-, 1,1-dimethylethyl ester, polymer with ethenyl acetate, 1-ethenyl-2-pyrrolidinone, ethenyltriethoxysilane and 2-hydroxyethyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 868-77-9
CMF C6 H10 O3



CM 2

CRN 585-07-9
CMF C8 H14 O2



CM 3

CRN 108-05-4
CMF C4 H6 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



CM 5

CRN 78-08-0
CMF C8 H18 O3 Si



=> d ibib abs hitstr 9

L13 ANSWER 9 OF 9 HCAPLUS COPYRIGHT 2001 ACS
ACCESSION NUMBER: 1992:657967 HCAPLUS
DOCUMENT NUMBER: 117:257967
TITLE: **Hair** preparations containing acrylate polymers
INVENTOR(S): Uchiyama, Yujiro; Ogasawara, Motomi
PATENT ASSIGNEE(S): Osaka Yuki Kagaku Kogyo Co., Ltd., Japan
SOURCE: Jpn. Kokai Tokkyo Koho, 11 pp.
CODEN: JKXXAF
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04154712	A2	19920527	JP 1990-277237	19901015

AB A **hair** prepn. which gives luster and body to the **hair** contains copolymers of acrylic acid esters, N-vinylpyrrolidone, and ethylene-type unsatd. monomers. Thus, 85 % dimethylaminoethyl methacrylate sulfate-EtOH soln. 47, methacryloxypropyl(trimethylsiloxy)dim ethylsilane 10, tert-Bu methacrylate 50, and anhyd. EtOH 143 parts by wt. were mixed and polymd. in the presence of a polymn. initiator. The product was dissolved in EtOH to give a **hair** prepn.

IT **144719-07-3 144719-08-4 144770-75-2 144770-76-3**
RL: BIOL (Biological study)
(**hair** prepns. contg.)

RN 144719-07-3 HCAPLUS

CN Ethanaminium, N-ethyl-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, ethyl sulfate, polymer with dodecyl 2-methyl-2-propenoate, 1-ethenyl-2-pyrrolidinone methyl 2-methyl-2-propenoate and 3-(pentamethyldisiloxanyl)propyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 18151-85-4
CMF C12 H26 O3 Si2



CM 2

CRN 142-90-5
CMF C16 H30 O2



CM 3

CRN 88-12-0
CMF C6 H9 N O



CM 4

CRN 80-62-6
CMF C5 H8 O2



CM 5

CRN 13223-03-5
CMF C10 H20 N O2 . C2 H5 O4 S

CM 6

CRN 48063-69-0
CMF C10 H20 N O2



CM 7

CRN 48028-76-8
CMF C2 H5 O4 S



RN 144719-08-4 HCAPLUS
CN Ethanaminium, N-ethyl-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, ethyl sulfate, polymer with 1-ethenyl-2-pyrrolidinone, ethyl 2-propenoate, 2-hydroxyethyl 2-methyl-2-propenoate and 3-(pentamethyldisiloxanyl)propyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 18151-85-4
CMF C12 H26 O3 Si2



CM 2

CRN 868-77-9
CMF C6 H10 O3



CM 3

CRN 140-88-5
CMF C5 H8 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



CM 5

CRN 13223-03-5
CMF C10 H20 N O2 . C2 H5 O4 S

CM 6

CRN 48063-69-0
CMF C10 H20 N O2



CM 7

CRN 48028-76-8
CMF C2 H5 O4 S



RN 144770-75-2 HCAPLUS
CN Ethanaminium, N-ethyl-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, ethyl sulfate, polymer with 1,1-dimethylethyl 2-methyl-2-propenoate, 1-ethenyl-2-pyrrolidinone and 3-(pentamethyldisiloxanyl)propyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 18151-85-4
CMF C12 H26 O3 Si2



CM 2

CRN 585-07-9
CMF C8 H14 O2



CM 3

CRN 88-12-0
CMF C6 H9 N O



CM 4

CRN 13223-03-5
CMF C10 H20 N O2 . C2 H5 O4 S

CM 5

CRN 48063-69-0
CMF C10 H20 N O2



CM 6

CRN 48028-76-8
CMF C2 H5 O4 S



RN 144770-76-3 HCAPLUS
CN Ethanaminium, N-ethyl-N,N-dimethyl-2-[(2-methyl-1-oxo-2-propenyl)oxy]-, ethyl sulfate, polymer with 1,1-dimethylethyl 2-methyl-2-propenoate, dodecyl 2-methyl-2-propenoate, 1-ethenyl-2-pyrrolidinone and 3-(pentamethyldisiloxanyl)propyl 2-methyl-2-propenoate (9CI) (CA INDEX NAME)

CM 1

CRN 18151-85-4
CMF C12 H26 O3 Si2



CM 2

CRN 585-07-9
CMF C8 H14 O2



CM 3

CRN 142-90-5
CMF C16 H30 O2



CM 4

CRN 88-12-0
CMF C6 H9 N O



CM 5

CRN 13223-03-5
CMF C10 H20 N O2 . C2 H5 O4 S

CM 6

CRN 48063-69-0
CMF C10 H20 N O2



CM 7

CRN 48028-76-8
CMF C2 H5 O4 S

Et—O—SO_3^-